




RONDE SEGMENTSILLO'S




Diameterrange: 2 tot 4,5 m
Capaciteit: 5 tot 310 m³
Hoogte: 4,27 tot 24,098 m




Technische data

Model	# Ringen	Diameter (mm)	Capaciteit (m ³)	A (mm)	B (mm)	C (mm)
UNS-2001	1	2000	5	2900	1370	4270
UNS-2002	2	2000	8	2900	2350	5250
UNS-2003	3	2000	11	2900	3340	6240
UNS-2004	4	2000	14	2900	4325	7225
UNS-2005	5	2000	17	2900	5310	8210
UNS-2006	6	2000	20.5	2900	6300	9200
UNS-2007	7	2000	23.5	2900	7285	10185
UNS-2008	8	2000	26.5	2900	8270	11170
UNS-2009	9	2000	29.5	2900	9255	12155
UNS-2010	10	2000	33	2900	10240	13140
UNS-2011	11	2000	36	2900	11230	1410
UNS-2012	12	2000	39	2900	12215	15115
UNS-2013	13	2000	42	2900	13200	16100
UNS-2014	14	2000	45	2900	14185	17085
UNS-2015	15	2000	48	2900	15170	18070
UNS-2016	16	2000	51	2900	16155	19055
UNS-2017	17	2000	54.5	2900	17145	20045
UNS-2018	18	2000	57.5	2900	18130	21030




Technische data

Model	# Ringen	Diameter (mm)	Capaciteit (m ³)	A (mm)	B (mm)	C (mm)
UNS-2501	1	2500	10	3590	1440	5030
UNS-2502	2	2500	14.5	3590	2430	6020
UNS-2503	3	2500	19.5	3590	3415	7005
UNS-2504	4	2500	24	3590	4400	7990
UNS-2505	5	2500	29	3590	5385	8975
UNS-2506	6	2500	34	3590	6370	9960
UNS-2507	7	2500	38.5	3590	7360	10950
UNS-2508	8	2500	43.5	3590	8345	11935
UNS-2509	9	2500	48.5	3590	9330	12920
UNS-2510	10	2500	53	3590	10315	13905
UNS-2511	11	2500	58	3590	11300	14890
UNS-2512	12	2500	63	3590	12290	15880
UNS-2513	13	2500	67.5	3590	13275	16865
UNS-2514	14	2500	72.5	3590	14260	17850
UNS-2515	15	2500	77.5	3590	15245	18835
UNS-2516	16	2500	82	3590	16230	19820
UNS-2517	17	2500	87	3590	17220	20810
UNS-2518	18	2500	92	3590	18205	21795




Technische data

Model	# Ringen	Diameter (mm)	Capaciteit (m ³)	A (mm)	B (mm)	C (mm)
UNS-3001	1	3000	16.5	4275	1440	5715
UNS-3002	2	3000	23.5	4275	2430	6705
UNS-3003	3	3000	30.5	4275	3415	7690
UNS-3004	4	3000	37.5	4275	4400	8675
UNS-3005	5	3000	44.5	4275	5385	9660
UNS-3006	6	3000	51.5	4275	6370	10645
UNS-3007	7	3000	58.5	4275	7360	11635
UNS-3008	8	3000	65.5	4275	8345	12620
UNS-3009	9	3000	72.5	4275	9330	13605
UNS-3010	10	3000	79.5	4275	10315	14590
UNS-3011	11	3000	86	4275	11300	15575
UNS-3012	12	3000	93	4275	122290	16565
UNS-3013	13	3000	100	4275	13275	17550
UNS-3014	14	300	107	4275	14260	185535
UNS-3015	15	3000	114	4175	15245	19520
UNS-3016	16	3000	121	4275	16230	20505
UNS-3017	17	3000	128	4275	17220	21495
UNS-3018	18	3000	135	4275	18205	22480




Technische data

Model	# Ringen	Diameter (mm)	Capaciteit (m ³)	A (mm)	B (mm)	C (mm)
UNS-3501	1	3500	25	4945	1505	6450
UNS-3502	2	3500	34.5	4945	2495	7440
UNS-3503	3	3500	44	4945	3480	8425
UNS-3504	4	3500	53.5	4945	4465	9410
UNS-3505	5	3500	63	4945	5450	10395
UNS-3506	6	3500	72.5	4945	6435	11380
UNS-3507	7	3500	82	4945	7425	12370
UNS-3508	8	3500	91.5	4945	8410	13355
UNS-3509	9	3500	101	4945	9395	14340
UNS-3510	10	3500	110.5	4945	10380	15325
UNS-3511	11	3500	120	4945	11365	16310
UNS-3512	12	3500	129.5	4945	12355	17300
UNS-3513	13	3500	139	4945	13340	18285
UNS-3514	14	3500	148.5	4945	14325	19270
UNS-3515	15	3500	158	4945	15310	20255
UNS-3516	16	3500	167.5	4945	16295	21240
UNS-3517	17	3500	176.5	4945	17285	22230
UNS-3518	18	3500	186	4945	18270	23215



Technische data

Model	# Ringen	Diameter (mm)	Capaciteit (m ³)	A (mm)	B (mm)	C (mm)
UNS-4001	1	4000	34.5	4945	1605	6550
UNS-4002	2	4000	47	4945	2590	7535
UNS-4003	3	4000	59.5	4945	3580	8525
UNS-4004	4	4000	72	4945	4565	9510
UNS-4005	5	4000	84	4945	5550	10495
UNS-4006	6	4000	96.5	4945	6535	11480
UNS-4007	7	4000	109	4945	7520	12465
UNS-4008	8	4000	121.5	4945	8510	13455
UNS-4009	9	4000	134	4945	9595	14540
UNS-4010	10	4000	146	4945	10480	15425
UNS-4011	11	4000	158.5	4945	11465	16410
UNS-4012	12	4000	171	4945	12450	17395
UNS-4013	13	4000	183.5	4945	13440	18385
UNS-4014	14	4000	196	4945	14425	19370
UNS-4015	15	4000	208	4945	15410	20355
UNS-4016	16	4000	220.5	4945	16395	21340
UNS-4017	17	4000	233	4945	17380	22325
UNS-4018	18	4000	245	4945	18370	23315



Technische data

Model	# Ringen	Diameter (mm)	Capaciteit (m ³)	A (mm)	B (mm)	C (mm)
UNS-4501	1	4500	43.5	5630	1705	7335
UNS-4502	2	4500	59.5	5630	2690	8320
UNS-4503	3	4500	75	5630	3680	9310
UNS-4504	4	4500	90.5	5630	4665	10295
UNS-4505	5	4500	106.5	5630	5650	11280
UNS-4506	6	4500	122	5630	6635	12265
UNS-4507	7	4500	137.5	5630	7620	13250
UNS-4508	8	4500	153.5	5630	8610	14240
UNS-4509	9	4500	169	5630	9595	15225
UNS-4510	10	4500	184.5	5630	10580	16210
UNS-4511	11	4500	200.5	5630	11565	17195
UNS-4512	12	4500	216	5630	12550	18180
UNS-4513	13	4500	231.5	5630	13540	19170
UNS-4514	14	4500	247.5	5630	14525	20155
UNS-4515	15	4500	263	5630	15510	21140
UNS-4516	16	4500	278.5	5630	16495	22125
UNS-4517	17	4500	294.5	5630	17482	23112
UNS-4518	18	4500	310	5630	18468	24098

